



Anti-glare
UV Reflective Glass

Optional Touch Foil
Behind Glass

DDA Compliant

Screen Printed Glass with
Customers Logo & LED Backlight

Marine Grade, Grained Polished
Stainless Steel Construction

Player:

- 2.4GHz Wireless AirMouse
- Spacious Keyboard
- Operating Range up to 10 Meters
- Multi-OS Support:
Windows, Mac OS X, Android & Linux
- Advanced Power Management

Optional 1500 to 2500

LED Lights

Air Vents

Speakers

46" 55" & 65" STAINLESS STEEL OUTDOOR HIGH BRIGHTNESS TOTEM

Ideal for Wayfinding and Advertising

The 4th generation of Elonex Totems & Ad Displays are powered by the latest Intel Minix® Z64-bit with a choice of Windows 10 or Android 4.4.4 Kitkat Operating Systems, designed to run multi-touch apps & digital signage flawlessly.


- Single or Double-sided 46", 55" & 65"
- 8mm Laminated Tempered glass front. Radius Designed Glass
- DDA Compliant for Multi-Use use
- Screen printed glass with Customers Logo & LED backlight
- Marine Grade, Grained Polished Stainless Steel Construction
- Sunlight brightness controlled Antiglare LCD Screens
- RGB – LED Lighting
- Air-cooled, & temperature controlled Heating System
- Single sided optional: Wall Mount or Ground works Kit
- Full Grounds work kit, NAL Sockets & Base 300mm poles

Optional Extras:-

- Anti-glare UV Reflective Glass
- Speakers & Microphone
- IP Camera & Face Recognition System
- Touch Foil Behind Glass
- 1500 to 2500cd/m2 Screens with Built-in
- Sunlight Sensor
- Air-conditioning unit for hotter climates







+ a choice of 200 to 400 mm Elevated Base

GLASS BRANDING	SCREEN PRINTED GLASS WITH CUSTOMERS LOGO & LED BACKLIGHT
COOLING & HEATING	Thermosatic Heating. LCD air-curtain & air-cooling system
SCREEN PANEL SIZES	Portrait 46" / 55" / 65" inch
DISPLAY AREA	16:09
MAXIMUM RESOLUTION	Portrait 1080 X 1920
RESOLUTION OF PCB	480P/720P/1080P
DISPLAY COLOUR	16.7M
BRIGHTNESS	1500cd/m2 Screens with built-in light sensors ranging from 450/1500cd/m ²
CONTRAST	1000:1
VIEWING ANGLE	178°/178°
INPUT VOLTAGE	AC110~240V(50Hz~60Hz) 220/240 electrical breaker/switch & On/Off timer installed
AUDIO	4W, 8Ω Visaton Germany. 2 X Magnetically shielded 4 x 7 cm (1.6" x 2.8") full range driver with good efficiency and balanced frequency response with a clear highrange reproduction.
WORKING TEMPERATURE	-30 °C to 55 °C
AV SIGNAL INPUTS	HDMI & VGA
ACCESSORIES	Remote Controls: NEO A2 Lite, 2.4Ghz wireless Air mouse & mini keyboard, Video Board IR remote control for screen controls On Screen User Manual. Warranty & software registration plus upgrade feature. 8 X RGB- LED IP69 rated lights fitted to eachside of totem with RGB remote control.

kompas wayfinding



- Kompas offers a unique way of guiding visitors and customers to their desired destination
- Intuitive "LogoCloud" concept
- Select a destination via icons or text
- Comfortable search functionality
- Dynamic calculation of routes
- Display of wheelchair accessible routes




Visualplanet™ is a global manufacturing business that commercialises and industrialises large format touch sensor technology for use in ground-breaking digital and self-service interactive applications - inspiring a world of touch.

The Benefits

- Fast single and two touch response
- High performance through thick glass
- Heightened security and reliability

Kompas Digital Signage



- Fast and easy setup
- Interactive
- Manage large networks easily
- Complete HTML5 support
- Comprehensive access rights management
- Reportings
- Maximum security and stability (Linux based)
- Kompas is ideal to replace existing Digital Signage software quickly and easily